

Product Data Sheet

TECHFORM Asilen 12

Description:

Techform Asilen 12- silicon-free release agent. TECHFORM Asilen 12 can be used in processing of plastics and rubber. It helps to remove a moulded piece from injection molds. TECHFORM Asilen 12 can be used to processing of a majority of thermoplastic

Advantages:

- Easy-to-use.
- Effective in small amounts.
- Leaves a dry surface.
- Enable to further processing of products.
- It does not build up in the molds.

The fields of application:

- Injection moulding
- Processing of plastic and rubber.

Properties:

- Form: aerosol, colourless.
- Odour: characteristic.
- Density: 0,75 g/cm³
- Max. working temperature: 150°C.
- (In)flammability: inflammable.
- Solubility: in solvents, not in water.

Packaging:

- Aerosol 400 ml, 20 pc. in carton



Directions for use:

In order to obtain a thin and even layer, apply the spray on the surface, spraying it from a distance of 25 to 30 cm.

Excessive use of the preparation may adversely affect the surface of the molded form

The frequency of spraying depends on the type of mold and the type of material being formed and should be practiced.

Guidance for users:

The product contains flammable liquids and gases. During application, the room should be well ventilated. Do not spray an open flame. Protect against ignition source. Keep away from children. Store at temperatures below 50°C, away from sources of heat and direct sunlight. Before use, read the product safety data sheet.

Warning:

The product is intended for industrial use only. The information contained in the card presents the current state of knowledge and experience. The information provided can not be used as a substitute for the necessary tests, which alone can ensure the user that this product for it is purposes. It is the user who is responsible for compliance with applicable legal provisions. Please, make sure that the user in possession of the latest version of the PDS. Techplast provides all additional information.